



























Fittings for drip tape with pull ring

description		code	diameter
Stick starter with rubber hole : 10 mm		4657	17
Stick starter with rubber hole : 15mm		4659 4660	22 29
Stick starter from PVC		4667	17
Male starter threaded		4670 4672 4673	3/4" x 17 3/4" x 22 3/4" x 29
Coupling		4661 4662 4663	17 x 17 22 x 22 29 x 29
Plug		4664 4665 4666	17 22 29
Valve with rubber from PE		4619 4618	17 22
Valve with rubber from PVC		4617 4616	D x 17 D x 22
Male threaded valve		4608 4607	3/4" X 17 3/4" X 22
Female threaded valve		4604 4603	3/4" X 17 3/4" X 22
Starter valve from LAY FLAT		4613 4612	17 22
Valve tape - tape		4606	17 X 17
Valve PE - tape		4605	16 X 17

from 4 to 15 MIL










Fittings for drip tape with locking ring

description		code	diameter
Starter from PE		4410	17
hole 10 mm		4409	22
PVC starter		4408	17
hole 14 mm			
Male threaded starter		4407	3/4" X 17
		4406	3/4" X 22
LAY FLAT starter		4405	17
hole 14 mm			
Coupling		4404	17 X 17
		4403	22 X 22
Coupling PE-TAPE		4402	16 X 17
		4401	20 X 22
Plug		4400	17
		4399	22
Starter valve from PE		4398	17
hole : 10 mm		4397	22
Starter valve from PVC		4396	17
hole : 14 mm		4395	22
Threaded male valve		4394	3/4" X 17
		4393	3/4" X 22
Threaded female valve		4392	3/4" X 17
		4391	3/4" X 22
Starter valve from LAYFLAT		4390	17
hole 14 mm		4389	22
Valve PE-TAPE		4388	16 x 17
		4387	20 x 22








from 4 to 18 MIL



description		code	diameter
Stick start from PE hole 10 mm		4418	17
PVC starter with grommet hole 14 mm		4417	17
Male adaptor		4415	17 x 3/4"
Coupling		4414	17
Elbow		4413	17
Tee		4412	17
End line plug		4411	17










grey series














description		code	diameter
Stick start from PE hole 10 mm		4384	17
PVC starter with grommet hole 14 mm		4383	17
Male adaptor		4382	17 x 3/4"
Coupling		4381	17
Elbow		4380	17
Tee		4379	17
End line plug		4378	17

brown series













description		code	diameter
Stick starter hole : 10 mm		4602	17
		4601	22
		4600	25
Valve with hose connector		4599	16 x 16
		4598	20 x 20
		4597	25 x 25
Male threaded valve with hose connector		4588	3/4" x 16
		4587	3/4" x 20
		4586	3/4" x 25
Male threaded valve with locking ring		4584	3/4" x 16
		4582	3/4" x 20
Valve with locking ring		4581	16
		4580	20
PE starter valve with locking ring		4386	16
		4385	20
PVC starter valve with locking ring hole : 14 mm		4579	D x 16
		4578	D x 20
Dripbreaker hook		6974	16
		6973	20
		6972	25
Hook for drip line length 17 cm		4574	16
		4573	20



description		code	diameter
Coupling		5083	16 x 16
		5471	20 x 20
		* 9252	25 x 25
Coupling reduced		5473	20 x 16
		* 9253	25 x 20
Elbow		5533	16
		5535	20
		* 9108	25
Tee		8185	16
		5517	20
		* 9045	25
Y connector		5752	16
Cross connector		0844	16
PE starter hole 8 mm		5563	16
		5565	20
End line plug		5489	16
		5491	20
PVC starter with grommet drill hole : 16 mm		4782	16
		4887	20
		* 4781	25
PVC starter with elbow		4780	16
		4779	20
PVC TEE starter with grommet		4778	16
		4777	20

\* only for duratube



description		code	diameter
Male thread starter		5480	16 X 1/2"
		5481	16 X 3/4"
		5058	20 X 1/2"
		5485	20 X 3/4"
		* 9044	25 X 1/2"
		* 9043	25 X 3/4"
Male thread starter		6673	22 x 3/4"
		* 9043	25 x 3/4"
Elbow male thread adaptor		5494	16 X 1/2"
		5495	16 X 3/4"
		5497	20 X 1/2"
		5498	20 X 3/4"
		* 9003	25 X 1/2"
		* 8593	25 X 3/4"
Female thread starter		4786	16 x 3/4"
		4785	20 x 3/4"
Barb TEE male thread		5524	16x1/2"x16
		5052	20x1/2"x20
		8479	25x1/2"x25
		5053	16x3/4"x16
		5055	20x3/4"x20
		* 4784	25x3/4"x25
Y connector		5507	16X3/4"
		5509	20X3/4"
Fork connector		5503	16 X 3
		5505	20 X 3
Female three connector		5550	16 X3
		5553	20 X3
Female four connector		5538	16 X 4
		5541	20 X 4
Female six connector		5544	16 X 6
		5547	20 X 6

\*only for duratube

